

PuIM-M2-2S

M.2 PCIe SSD expansion card supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs; two PCIe 3.0 x4 host interface



Features

- » Supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs
- » M.2 SSD temperature is monitored in real time by sensor IC
- » 2 PCIe 3.0 x4
- » LED indicator shows the M.2 status
- » RoHS compliant

Specifications

| Physical Characteristics | |
|--------------------------|--|
| Dimensions (LxWxH) (mm) | 165.50 (L) x 77.8 (W) x 44.2 (H) |
| Environment | |
| Operating Temperature | 0°C ~ 40°C (32°F ~ 104°F) |
| Storage Temperature | -20°C ~ 75°C (-4°F ~ 167°F) |
| Humidity | 5% ~ 90% RH, Non-condensing |
| Certifications | |
| Safety & EMC | RoHS |
| Card Slot Interface | |
| M.2 | 2 x M key 2260/2280/22110 (PCIe 3.0 x4/NVMe) |

Ordering Information

| | |
|----------------|---|
| PuIM-M2-2S-R10 | M.2 PCIe SSD expansion card supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs; two PCIe 3.0 x4 host interface |
|----------------|---|

Packing List

| | |
|---------------------|------------------------------|
| 1 x PuIM-M2-2S | 1 x L-shaped T10 Plum Wrench |
| 2 x Torx Screws | 4 x M.2 SSD Screws |
| 2 x Thermal Pad kit | 1 x QIG |