

EBC-2200

Embedded Chassis for EPIC SBC



Features

- » Designed for EPIC SBC with single voltage input
- » One 2.5" hard drive capacity
- » Support one PCIe Mini expansion slot
- » Complete I/O interface, including dual GbE, dual display port

Specifications

Form factor	
SBC Form Factor	Refer to SBC
	SBC Size: EPIC SBC (165 mm x 115 mm)
I/O Interface	
I/O Ports	BT:
	1 x PS/2, 1 x USB3.0, 3 x USB2.0, 2 x LAN, 2 x RS-232, 1 x RS-232/422/485, 1 x HDMI™, 1 x VGA, 1 x Audio Line-out, 1 x Mic-in, 1 x 802.11b/g/n (optional)
	QM87:
	2 x USB3.0, 4 x USB2.0, 2 x LAN, 1 x RS-232, 1 x RS-232/422/485, 1 x Digital I/O, 2 x HDMI™, 1 x VGA, 1 x Audio Line-out, 1 x Mic-in, 1 x 802.11b/g/n (optional)
Expansion Slots	
Expansion Slots	1 x Full-size PCIe Mini card slot
System	
Cooling method / System Fan	40 x 40 x 10 (optional)
Drive Bays	1 x 2.5' SATA 6Gb/s HDD/SSD drive bay
Physical Characteristics	
Construction	Aluminum alloy with heavy duty metal
	Wall mount, VESA 75
Color	
Color	Black
Dimensions	
Dimensions	215 x 150 x 55
Weight	
Weight	1.1 kg/2 kg
Environment	
Operating Temperature	-20°C ~60°C

Ordering Information

--	--

EBC-2200-QM87-R10	Embedded chassis for NANO-QM87 Series MB, with 1 x 2.5" SATA hard drive bay, IO bracket, 1 x LED Cable, 1 x Power Switch Cable, 1 x USB Cable, RoHS, R10
EBC-2200-BT-R10	Embedded chassis for NANO-BT Series MB, with 1 x 2.5" SATA hard drive bay, IO bracket, 1 x LED Cable, 1 x Power Switch Cable, 1 x USB Cable, RoHS, R10

Packing List

1 x QIG	2 x Wall mount bracket
1 x Screw set	