


# Mustang-M2AE

Computing Accelerator Card with 1 x Intel® Movidius™ Myriad™ X MA2485 VPU, M.2 AE key interface, 2230, RoHS



## Features

- » M.2 AE key form factor (22 x 30 mm)
- » 1 x Intel® Movidius™ Myriad™ X VPU MA2485
- » Power efficiency, approximate 4.5W
- » Operating Temperature -20°C to 60°C
- » Powered by Intel's OpenVINO™ toolkit

## Specifications

|                             |   |
|-----------------------------|---|
| System                      |   |
| Chipset                     | 1 x Intel® Movidius™ Myriad™ X MA2485 VPU |
| Cooling method / System Fan | Active fan                                |
| Physical Characteristics    |   |
| Dimensions (LxWxH) (mm)     | 113 X 56 X 23                             |
| Power                       |   |
| Power Consumption           | Approximate 15W                           |
| Environment                 |   |
| Operating Temperature       | -20°C ~ 60°C                              |
| Humidity                    | 5% ~ 90%                                  |
| Card Slot Interface         |   |
| PCIe                        | Gen 2 x 2                                 |

## Ordering Information

|                      |  |
|----------------------|--|
| Mustang-M2AE-MX1-R10 | Deep learning inference accelerating M.2 AE key card with 1 x Intel® Movidius™ Myriad™ X MA2485 VPU, M.2 interface 22mmx30mm, RoHS |
|----------------------|--|